

Directions for use Read carefully!

5% Dextrose In 0.9% Sodium Chloride

5g/900mg per 100mL Solution for IV Infusion PARENTERAL REHYDRATION SOLUTION

Formulation

Each 100 mL contains: Sodium Chloride 900 mg Dextrose Monohydrate for Parenteral Use 5.5 g Water for Injections to 100 mL

Electrolytes:	mmol/L (mEq/L)
Na ⁺	154
CI⁻	154
Caloric value:	850 kJ/L ≙ 200 kcal/L
Osmolarity:	585 mOsm/L

Characteristics

Hypertonic i.v. solution providing 154 mmol sodium and 50 g of dextrose per litre.

Indications

Dehydration Sodium and chloride depletion Caloric supply Vehicle solution for supplementary medication

Dosage

Approximately 1000 mL/day Drop rate: 120-180 drops/min corresponding to 360-540 mL/h or as directed by the physician Route of administration I.V.

Contraindications

Hyperhydration, oedema Hypertension Hypernatremia Hypokalaemia Diabetes mellitus

Caution

Foods, Drugs, Devices & Cosmetics Act prohibits dispensing without prescription.

For suspected adverse drug reaction, report to the FDA: www.fda.gov.ph. Seek medical attention immediately at the first sign of any adverse drug reaction.

The compatibility of any additives to this solution should be checked before use.

Storage

Store at temperatures not exceeding 30°C.

Shelf life

The product must not be used beyond the expiry date stated on the label.

Availability 500 mL, 1000 mL plastic container.

DR-XY45893

Manufactured by: B. Braun Medical Industries Sdn. Bhd. (Company No. 19051-M) 11900 Bayan Lepas, Penang, Malaysia.



BBRAUN Bonifacio Global City, Taguig City schwarz

Format = 148 x 210 mm 1 Seite



PH____6 6/15242390/0115 GIF Production site: Penang

Font size: 9 pt.

G 121531



15242390_Dextr5-in-SodiumChl_GIF-A5_ZV0115__PH_6.indd 1